DAFA AirStop System®

DAFA Zero Waste® universal tape

DAFA Zero Waste is a strong universal tape with no tape liner. Used for vapor barriers, roofing foils and wind barriers.



DAFA offers a function and product warranty for 10 years on all products associated with DAFA AirStop System.

DAFA Zero Waste is designed **without** tape liner.

tape

Reduce construction waste 1:1 compared to traditional vapor barrier

Applications

The new universal tape with no liner matches all DAFA's renowned sealing systems for vapor barrier, roof, and facade foils and is ideal for other sealing tasks.


Since the tape is without a liner, time is saved during the installation phase as there is no need to peel off the backing liner. Additionally, time is saved in cleaning up waste on the construction site. All in all, the entire installation process will be significantly faster.

Advantages

- Reduces waste on the construction site
- No liner means faster installation
- Tearable no tools required
- No tape waste or clean-up after installation
- Same tape, inside and out, for the roof, facade, and vapor barrier
- Also suitable for longitudinal and transverse joints*
- One year of UV stability
- DAFA Zero Waste is included in the Nordic Ecolabelling database of construction products that can be used in Swan-labelled buildings.
- Product-specific EPD is available for download

*Avoid stretching: Do not stretch the tape during installation, as this can lead to subsequent contraction and loss of sealing effectiveness

Installing DAFA Zero Waste (at overlaps/T intersections) DAFA Zero Waste cannot attach to itself due to the special surface of the backing, so the following methods should be used:







DAFA Zero Waste universal tape with no liner is an all-round tape suitable for vapor barriers, roofing and wind barriers.



Reduce construction waste. This image shows the waste from a roll of vapor barrier tape (25 m) with liner.

LCA calculation		
Product	Unit	GWP-total (A1-A3)
DAFA Zero Waste tape	kg CO2 eq./m²	1,07

Property	Method	Values	
Thickness	DIN EN 1939	0.24-0.26 mm	
Peel value	DIN EN 1939	≥ 20 N/25 mm	
Temperature resistance	Long-term	-30 °C to +100 °C	
Installation	Recommended from +5 °C. Surfaces must be dry and free of dust and oil.		
Storage	Dry and frost-free between +5 °C and +25 °C. Avoid direct sunlight.		
Contents per box	10 rolls		
Dimensions	60 mm x 25 m		
DAFA product no.	620045394		
EAN no.	5705636270654		



dafa-group.com Denmark · Sweden · Germany · China · US · Norway · Poland · Italy



Easy to tear With its serrated edge, you can easily tear the tape without the need for tools